

Contagious Diseases

Description

Contagious Diseases

<https://sparksfostering.org/wp-content/uploads/speaker/post-11258.mp3?cb=1683479852.mp3>

[Previous Page](#)

[Next Page](#)

Foster carers (and everyone who works with children) have a 'duty of care' to provide a safe environment for children, which includes protection (as far as is reasonably possible) from contagious diseases and infection. The guidance here instructs foster carers about how to keep children safe from infection.

Symptoms of infectious disease you

Foster carers and staff must be alert to signs of infection; which may include fever; chills and sweats; change in cough or a new cough; sore throat or new mouth sore; shortness of breath; nasal congestion; stiff neck; burning or pain with urination; unusual vaginal discharge or irritation; increased urination; redness, soreness, or swelling in any area, including surgical wounds and ports; diarrhoea;

vomiting; pain in the abdomen or rectum; or new onset of pain.



Pets and animals

- Exotic (non-domestic and unusual) animals, such as reptiles may have a high risk of Salmonella which they carry – appropriate risk assessments must be carried out in homes with exotic animals.
- Rats may spread Hantavirus, Hemorrhagic Fever, Monkeypox, Salmonella, Giardia, and rat bite fever through urine, faeces, and saliva of recently infected rats.
- Diseases associated with cats include cat scratch disease, roundworms, toxoplasmosis, rabies and cryptosporidiosis.
Dogs can potentially spread Rabies, Nonviral, Salmonella and other infections.
- When carrying out pet assessments, assessors are advised to do some research online about the potential health risks associated with keeping the specific animals in the home as pets.
- In order to reduce the risk of infection, pets must be clean and healthy. Pet living quarters must be kept clean and away from food areas.
- Hands must be washed after touching animals, whether in the home or outside the home (for example at petting zoos).
- Animals who have indications of infectious disease should be assessed by a vet and kept away from any children living in the home.

Outbreak of new infections

People who show signs of illness which may be contagious should be mindful of not spreading the illness to others. This may mean that they stay home, wear a face mask or wash their hands more often.

Information about the illness should be obtained from a GP or a reliable source online (such as the NHS website) and guidance should be followed. Details of the illness and actions to be taken should be recorded on the Sparks Fostering database.

Should there be a new outbreak of a pandemic (across the world), or epidemic (across a region), instruction will be issued by the government and NHS. Sparks Fostering will work as quickly as possible to assimilate the instruction into policies and procedures. Foster carers and staff are required to follow the guidance provided by the NHS and/or government.

Hand hygiene

Key points to consider regarding hand hygiene are:

- Use warm water
- Never share water in a communal bowl when washing hands
- Use liquid soap (there is no need to use soaps advertised as antibacterial or antiseptic)
- Dry hands thoroughly using paper towels or a towel that is not shared with others (especially if the person using the towel is unwell)
- Wipes or hand gel may also be used to disinfect hands when there is no easy access to running water

water

- All visible cuts and abrasions should be covered with a water proof dressing
- Hands should be washed before and after eating or handling food and drink; after using the toilet, potty, or changing a nappy; after blowing your nose, coughing or sneezing; after touching animals/pets or animal/pet waste, equipment or bedding; after contact with contaminated surfaces (e.g. food-contaminated surfaces, rubbish bins, cleaning cloths); when returning from outside play or breaks.
- Do not share moisturising or other creams.
- Put used wipes and tissues in bins with lids and empty them regularly (while wearing gloves).




Hand-washing technique with soap and water




1 Wet hands with water



2 Apply enough soap to cover all hand surfaces




3 Rub hands palm to palm



4 Rub back of each hand with palm of other hand with fingers interlaced



5 Rub palm to palm with fingers interlaced



6 Rub with back of fingers to opposing palms with fingers interlocked



7 Rub each thumb clasped in opposite hand using a rotational movement




8 Rub tips of fingers of one hand against the palm of the opposite hand in a circular motion



9 Rub each wrist with opposite hand



10 Rinse hands with water



11 Use elbow to turn off tap



12 Dry thoroughly with a single-use paper towel



13

Children should be helped to understand why hand hygiene is important – the information should be given in a way that meets their needs and that the child can understand.

Respiratory and cough hygiene

To stop respiratory germs spreading, children and adults should cover their mouth and nose with a tissue when coughing and sneezing; putting their tissue in the bin immediately after use and then washing hands.

Personal protective equipment (PPE)

PPE should not be worn when having day to day contact with a child e.g. playing with a child. When cleaning items such as toys and equipment, carers should wear household cleaning gloves (e.g. marigolds).

If dealing with blood or bodily fluids of someone who has an infection (or if there is a risk of splashing e.g. from a nose bleed or from cleaning up body fluids), carers should wear single-use disposable gloves and single-use disposable plastic aprons. Gloves should be marked as single use and meet British Standard EN 455 (European Normalisation).

Face protection (such as surgical mask and goggles/glasses) should be considered if a poorly child is vomiting or if there is other risk of splashing. These items should be purchased and stored for when they are needed.

Hands should be washed before and after using PPE.

Cleaning the home

All foster homes are expected to be kept clean. It is understood that homes may not always be exceptionally tidy because children tend to play and create mess; however, this is not an excuse for having a home that is not clean. Skirting boards, hard floors and surfaces should be wiped clean regularly. Carpets and other soft surfaces should be vacuumed and kept clean. The home should also not have an unpleasant odour – even if there are pets in the home or if the child is struggling with bed wetting or other similar issues.

Filters for vacuum cleaners should be emptied and cleaned regularly.

Clothing and linen should also be washed regularly at recommended temperatures, with clothing detergent.

Food and kitchen hygiene

Food safety hazards can be microbiological, chemical or physical in nature and foster carers must

ensure that food that is stored, prepared and/or eaten should be safe to eat.

Food that is stored in the fridge or freezer must be kept at the appropriate temperature and guidance for that particular type of food should be followed. Food which is heated must also be heated to the recommended temperature (for that type of food) in order to prevent the growth of pathogenic organisms or the formation of toxins. Food that is heated must be cooled quickly and safely before being served to children.

Carers with babies must also carefully follow storage and heating instructions for formula milk.



Attending school, going to visit the doctor or other visits

Carers must consult with school and/or the doctor's office in order to ascertain if a poorly child should stay home or if they can attend the premises.

Infected people must follow isolation procedures if directed to do so by the GP or by current NHS guidelines.

Visitors to the fostering home

Carers should ensure that visitors to the home maintain the expectations regarding hygiene and cleanliness that are expected for others in the home. People who have symptoms of illness should be asked to not come to the home until they are recovered.

Visiting other premises

All premises that are attended by children should be clean and hygienic. When children are engaging in activities that may require them to become messy or play in dirt (e.g. playing in the park), appropriate and sensitive steps should be taken to return to the child to a clean state as soon as possible afterwards.

Recording

Day to day hygiene practices do not need to be recorded. If any member of the household is unwell, this must be recorded in the foster carer recordings. If the illness is contagious or serious, this must be reported to the supervising social worker and child's social worker immediately – they should be contacted by phone and then the call should be followed up with an email.

Serious foster carer illness

If the foster carer(s) becomes seriously ill and there is a chance they may not be able to care for the children in their home, the backup carers should be alerted that they may be needed. The supervising social worker and children's social worker should also be notified immediately so that contingency plans can be put in place.

Business continuity

Sparks Fostering is a paper-free organisation and most of the work carried out by staff is remote; therefore, outbreak of a virus does not impact on the core operational facilities.

Staff also work flexibly so when a member of staff is unwell, cover will be arranged in much the same way that it would be arranged to cover holiday or other sick leave.

When it is felt necessary, work will be carried out remotely; but will return to face to face contact as

soon as possible (especially for supervisions).

Staff and foster carer will be notified of any necessary updates to this policy (including where there is specific information about infections or viruses), as is the case with all Sparks Fostering policies and procedures.



Additional resources (optional reading)

[About HIV](#) – a brief summary by the Centers for Disease Control

[NHS updates and guidance on infectious diseases.](#)

Date Created

May 7, 2023

Author

user